

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	@ad<"20021011" and "725"/\$.ccls. and (search \$3 with (genre or category) with title with source) and ((tune or tuned or tuning) with condition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 11:38
L3	0	@ad<"20021011" and "725"/\$.ccls. and (search \$3 with (genre or category) with title) and ((tune or tuned or tuning) with condition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 11:39
L4	7	@ad<"20021011" and "725"/\$.ccls. and (search \$3 with (genre or category) with title) and ((tune or tuned or tuning) with (condition or search\$3 or met))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 11:39
L5	0	@ad<"20021011" and "725"/\$.ccls. and (search \$3 with (genre or category) with title with source) and ((tune or tuned or tuning) with (condition or search\$3 or met))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 11:39
L6	46	@ad<"20021011" and "725"/\$.ccls. and (search \$3 with (genre or category) with title) and ((tune or tuned or tuning or display\$3 or provid\$3) with (condition or search \$3 or met or match\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 11:40

L7	7	@ad<"20021011" and "725"/\$.ccls. and (search \$3 with (genre or category) with title) and ((tune or tuned or tuning or display\$3 or provid\$3) with (condition or search \$3 or met or match\$3)) and (scan\$4 with (frequency or channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 11:41
L8	21	@ad<"20021011" and "725"/\$.ccls. and (search \$3 with (genre or category) with title) and (automatic\$5 with (present\$3 or display\$3 or output\$4) with (program\$4 or movie or show or episode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 11:45
L9	14	@ad<"20021011" and "725"/\$.ccls. and (search \$3 with (genre or category) with title with (user or subscriber or viewer)) and (automatic \$5 with (present\$3 or display\$3 or output\$4) with (program\$4 or movie or show or episode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 11:45
L10	5	@ad<"20021011" and "725"/\$.ccls. and (scan \$4 with (channel or frequency or frequencies) with (program\$4 or episode or show) with match\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 11:52
L11	0	@ad<"20021011" and "725"/\$.ccls. and ((search \$3 with source with "AND" with "OR" with title with (genre or category)) same (list with previous\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:52
L12	0	@ad<"20021011" and "725"/\$.ccls. and ((search \$3 with source with "AND" with "OR" with title with (genre or category)) same (list with populat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:52

L13	0	@ad<"20021011" and "725"/\$.ccls. and (search \$3 with source with "AND" with "OR" with title with (genre or category))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:52
L14	0	@ad<"20021011" and "725"/\$.ccls. and (search \$3 with source with logical with title with (genre or category))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:52
L15	0	@ad<"20021011" and "725"/\$.ccls. and (search \$3 with source with logical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:52
L16	0	@ad<"20021011" and "725"/\$.ccls. and (search \$3 with (source or type) with logical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:53
L17	3	@ad<"20021011" and "725"/\$.ccls. and (search \$3 with (source or type) with (logical or "AND" or "OR"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:53
L18	9	@ad<"20021011" and "725"/\$.ccls. and ((search \$3 or criteria) with (source or type) with (logical or "AND" or "OR"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:53
L19	0	@ad<"20021011" and "725"/\$.ccls. and ((search \$3 or criteria) with (source or type) with (logical or "AND" or "OR")) and ((list or option) with populat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:53
L20	1	@ad<"20021011" and "725"/\$.ccls. and ((search \$3 or criteria) with (source or type) with (logical or "AND" or "OR")) and ((list or option) with previous\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:53

L21	0	@ad<"20021011" and "725"/48-49.ccls. and ((search\$3 or criteria) with (source or type) with (boolean or "AND" or "OR"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:58
L22	3	@ad<"20021011" and "725"/48-49.ccls. and ((search\$3 or criteria) with (boolean or "AND" or "OR"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:58
L23	1	@ad<"20021011" and "725"/48-49.ccls. and ((search\$3 or criteria) with (boolean or "AND" or "OR")) and ((search\$3 or criteria) with (source or connection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:59
L24	30	@ad<"20021011" and "725"/\$.ccls. and ((search\$3 or criteria) with (boolean or "AND" or "OR")) and ((search\$3 or criteria) with (source or connection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:01
L25	7	@ad<"20021011" and "725"/\$.ccls. and ((search\$3 or criteria) with (boolean or "AND" or "OR")) and ((search\$3 or criteria) near3 (source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:01
L26	22	@ad<"20021011" and "725"/\$.ccls. and ((search\$3 or criteria) with (boolean or "AND" or "OR") with (user or viewer or subscriber))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:06
L27	0	@ad<"20021011" and "725"/\$.ccls. and ((search\$3 or criteria) with (boolean or "AND" or "OR") with (user or viewer or subscriber) with (set adj top))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:06

L28	0	@ad<"20021011" and "725"/\$.ccls. and ((search \$3 or criteria) with (boolean or "AND" or "OR") with (user or viewer or subscriber) with (terminal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:06
L29	2	@ad<"20021011" and "725"/\$.ccls. and ((search \$3 or criteria) with (boolean or "AND" or "OR") with (user or viewer or subscriber) with remote)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:06
L30	22	@ad<"20021011" and "725"/\$.ccls. and ((search \$3 or criteria) with (boolean or "AND" or "OR") with (user or viewer or subscriber))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:08
L31	16	@ad<"20021011" and "725"/\$.ccls. and ((search \$3) with (boolean or "AND" or "OR") with (user or viewer or subscriber))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:08
L32	4	@ad<"20021011" and "725"/\$.ccls. and ((search \$3 or criteria) with (boolean or "AND" or "OR") with (user or viewer or subscriber) with (epg or ipg or gui or (program\$4 adj guide) or interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:09
L33	1	@ad<"20021011" and "725"/\$.ccls. and (restart \$3 with search\$3 with (state))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:12
L34	2	@ad<"20021011" and "725"/\$.ccls. and (restart \$3 with search\$3 with (state or halt\$3 or previous\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:14

L35	2	@ad<"20021011" and (restart\$3 with search\$3 with state with (halted or stopped))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:15
L36	5	@ad<"20021011" and (restart\$3 with search\$3 with state with (stored))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:16
L37	57	@ad<"20021011" and (restart\$3 with search\$3 with state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:17
L38	3	@ad<"20021011" and (tv or television) and (restart\$3 with search\$3 with state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:17
L39	1	@ad<"20021011" and (restart\$3 with search\$3 with state with stopped)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:19
L40	0	@ad<"20021011" and (restart\$3 with search\$3 with state with paused)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:19
L41	1	@ad<"20021011" and (restart\$3 with search\$3 with state with pause)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:19
L42	1	@ad<"20021011" and (restart\$3 with search\$3 with state with paus\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:19

L43	57	@ad<"20021011" and (restart\$3 with search\$3 with state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:19
L44	1	@ad<"20021011" and "725"/\$.cls. and (restart\$3 with search\$3 with (halt\$3 or stop\$3 or paus\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:26
L45	85	@ad<"20021011" and (restart\$3 with search\$3 with (halt\$3 or stop\$3 or paus\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:26
L46	66	@ad<"20021011" and (restart\$3 with search with (halt\$3 or stop\$3 or paus\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:27
L47	1	@ad<"20021011" and (restart\$3 with search with (halt\$3 or stop\$3 or paus\$3) with previous \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:27
L48	2	@ad<"20021011" and (restart\$3 with search with (halt\$3 or stop\$3 or paus\$3) with (state or place or location))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:28
L49	66	@ad<"20021011" and (restart\$3 with search with (halt\$3 or stop\$3 or paus\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:28
S1	0	wo02067447	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 15:05

S2	4	"02067447"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 15:05
S3	2	"7171174".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 15:06

5/ 16/ 2009 2:35:33 PM

C:\ Documents and Settings\ jshepard\ My Documents\ EAST\ Workspaces\ sari\_10678214.  
wsp